

# BRINARD JOINERY LIMITED

**Manufacturers and suppliers of all types of high quality purpose made joinery and glazing.**



**Brinard Joinery was established in 1982 to service the needs of the local building trade as a supply only manufacturer of high quality purpose made joinery products.**

**Since then we have grown and evolved and we now provide purpose made joinery products for Domestic or Commercial projects to Building Contractors, House Builders, Self-Builders, National and Independent Builders Merchants, Local Authorities and Bar Fitters for New-build, Replacement or Conversion.**

This brochure has been designed to showcase **some** of the products that we can produce.

The specifications listed in the following pages are indications of typical window and door types, but they are by no means fixed.

The “keywords” here at Brinard Joinery are **Customer Choice**; choice of materials, profiles, fittings, configuration, style, finishing and glazing.

Whether you require Modern, Contemporary, Traditional or Classic Style, we can create a product that meets your needs.

We can match existing joinery exactly to satisfy the requirements of Local Authorities for Heritage, Conservation Projects or Listed Buildings and frequently get involved with Local Authorities to create a solution that satisfies conservation requirements in appearance while meeting modern standards of insulation, glazing, ventilation and treatment.



## HIGH SPECIFICATION FLUSH CASEMENT

---

### Typical Features

Traditional appearance  
Reflex Hinges  
Hook Multi-point Locking  
Locking Handles  
Discreet Trickle Ventilator  
Fully Weather Stripped

### Glazing

Softcoat Argon Filled with Warm Edge Spacer

### Glazing Bars

25mm Plant-on bars with back-to-back spacer in the glazing

### Options

Choice of Profiles  
Factory Spray Paint or Stain  
Factory Glazing  
Choice of Fittings

### Typical u-value

1.5 to 1.6

## TRADITIONAL FLUSH CASEMENT

---

### Typical Features

Traditional appearance  
Butt Hinges  
Solid Brass Stay and Fastener  
Discreet Trickle Ventilator  
Fully Weather Stripped

### Glazing

Softcoat Argon Filled with Warm Edge Spacer

### Options

Choice of Profiles  
Factory Spray Paint or Stain  
Factory Glazing  
Choice of Fittings  
Reflex Hinges

### Typical u-value

1.5 to 1.6



## TOP HUNG MOCK SASH

---

### Typical Features

Traditional appearance  
Reflex Hinges  
Fully Weather Stripped

### Glazing

Softcoat Argon Filled with Warm Edge Spacer

### Options

Choice of Profiles  
Factory Spray Paint or Stain  
Factory Glazing  
Choice of Fittings  
Discreet Trickle Ventilator

### Typical u-value

1.5 to 1.6



## SLIDING SASH WITH SPIRAL BALANCES

---

### Typical Features

Traditional appearance  
Traditional Locking Fasteners  
Timber Parting Beads  
Discreet Trickle Ventilator  
Fully Weather Stripped

### Glazing

Softcoat Argon Filled with Warm Edge Spacer

### Options

Choice of Profiles  
Factory Spray Paint or Stain  
Factory Glazing  
Choice of Fittings

### Typical u-value

1.5 to 1.6



## TRADITIONAL BOX SLIDING SASH WITH CORDS AND WEIGHTS

---

### Typical Features

Traditional appearance  
Traditional Locking Fasteners  
Timber Parting Beads  
Fully Weather Stripped

### Glazing

Slim Conservation glazing with 5mm sightline

### Glazing Bars

22mm rebated and beaded.

### Options

Choice of Profiles  
Factory Spray Paint or Stain  
Factory Glazing  
Choice of Fittings  
Discreet Trickle Ventilator

### Typical u-value

2.0 to 2.1



## ENTRANCE DOOR SET

---

### Typical Features

Traditional appearance  
Brass Butt Hinges  
Multi-point locking  
Fully Weather Stripped

### Glazing

Softcoat Argon Filled with Warm Edge Spacer

### Options

Choice of Profiles  
Factory Spray Paint or Stain  
Factory Glazing  
Choice of Fittings  
Choice of Hinge Finish  
Choice of Lock Type  
Discreet Trickle Ventilator

### Typical u-value

1.7 to 1.8



## BI-FOLD DOOR SET

---

### Typical Features

Centor E3 Bi-folding Gear  
Aluminium Cill  
Fully Weather Stripped

### Glazing

Softcoat Argon Filled with Warm Edge Spacer

### Options

Choice of Profiles  
Factory Spray Paint or Stain  
Factory Glazing  
Choice of Fittings Finish  
Wide Choice of Configurations  
Timber Cill  
Discreet Trickle Ventilator

### Typical u-value

1.6 to 1.7

## How to find us



We are situated on the B600, 10 minutes from Junction 28 of the M1.  
Take the A38 towards Derby, then take the second exit signposted "Somercotes".  
Turn South towards Nottingham on the B600, and we are located on the left,  
1 mile from the A38.

**BRINARD**  
**JOINERY**  
LIMITED

257 Somercotes Hill, Somercotes, Alfreton, Derby DE55 4HX.

**Telephone: (01773) 608693**

**Fax: (01773) 540743**

**Email: [sales@brinardjoinery.co.uk](mailto:sales@brinardjoinery.co.uk)**

**[www.brinardjoinery.co.uk](http://www.brinardjoinery.co.uk)**